



Storeage display & transport for your PD-45, PD-55, PD-110 or PD-140 driver and accessories

Self contained units include the following items:

(PDT-55 Transport Kit Shown Part No. 071216)

- PD-55 Post Drive
- Chuck Adapters as Shown on cart
- 20.5 ft Air Hose
- Throttle Valve
- Filter-Regulator-Lubricator
- Extra Washers & Bolts
- Extra Safety Clips

. . . .

- 1 qt Non-detergent Oil
- Operating & Safety Instructions

Options for configurations without post driver, Transport only, and Total Solution with MP-3 Post Puller are available.

Order I	nformation and Accessories		
Ship Wt.	65 lb (29.48)		
Part No.	Description		
071200	PDT-45 Transport Cart Only		
071215	PDT-45 Transport Kit - PD-45 and 4 Chuck Adapters - 2 1/2", 2", 1", 1 - 1.5 lb Channel		
071268	PDT-45 Total Solution - PDT-45 Transport Kit with MP-3 Post Puller		
071201	PDT-55 - Transport Cart Only		
071216	PDT-55 Transport Kit - PD-55 and 4 Chuck Adapters - 3", 2.5", 2", 2 - 2 3/4 lb Channel		
071269	PDT-55 Total Solution - PDT-55 Transport Kit with MP-3 Post Puller		
071202	PDT-110 Transport Cart Only		
071217	PDT-110 Transport Kit - PD-110 and 2 Chuck Adapters - 2 1/2", 3 - 4 lb Channel		
071270	PDT-110 Total Solution - PDT-110 Transport Kit with MP-3 Post Puller		
071203	PDT-140 - Transport Cart Only		
071218	PDT-140 Transport Kit - PD-140 and 2 Chuck Adapters - 2 1/2", 3 - 4 lb Channel		
071271	PDT-140 Total Solution - PDT-140 Transport Kit with MP-3 Post Puller		





Accessories




Pneur	Pneumatic Driver Accessories					
No.	Part No.	Description				
1	071200 071201 071202 071203	PDT-45 Transport Cart Only* PDT-55 Transport Cart Only* PDT-110 Transport Cart Only* PDT-140 Transport Cart Only* *Transport Cart Only Includes: cart, handle, wheels, axle, hardware, brackets for specified tool, transport manual, extra bolts and washers.				
2	071282 071283 071284 071285	PDT-45 Transport Kit without Post Driver PDT-55 Transport Kit without Post Driver PDT-110 Transport Kit without Post Driver PDT-140 Transport Kit without Post Driver				
3	071260 071261 071262 071263 071264 071306	2" Drive Cap with T-Bar and Clip 2 1/2" Drive Cap with T-Bar and Clip 3" Drive Cap with T-Bar and Clip 3 1/2" Drive Cap with T-Bar and Clip 4" Drive Cap with Slammer Hammer 6" Drive Cap with Slammer Hammer				
4	607000	3/4" (19 mm) Hose Assembly (Order Length Needed) Does not include Hose				
5	600000	Throttle Valve Kit with 5' (1.524 meters) Hose Whip (Used with all Pneumatic models)				
6	605006	Extra 3/4" (19 mm) Air Hose (Must order by the foot)				
7	610026	Throttle Valve Only with Lever Guard				
8	225001	Carrier Only for FRL - Filter-Regulator-Lubricator				
9	601128	Filter-Regulator-Lubricator Only*				

*The FRL or Filter-Regulator-Lubricator needs to be used with all Pneumatic Drivers for Operator Safety and Post Driver Protection



The Square Tube Break-Away Anchor System





Drives Square Anchors within 2 inches of ground level. Will drive up to a 2-1/2" square anchor*.



Adapter Part Numbers: PD-55 071014 PD-110 071017 PD-140 071015 PD-200 5-1/2" MC 071043



Drive Cap Part Numbers for Use with above Adapters: 1-1/4" sq anchor* 071004 1-1/2" sq anchor* 071005 1-3/4" sq anchor* 071006 2" sq anchor* 071007 2-1/4" sq anchor* 071008 2-1/2" sq anchor* 071009

*Anchor Drive Caps are sold by the outside dimension of the Anchor

The Channel Post Break-Away Anchor System

Drives Channel Post Anchors within 2 inches of ground level. Will drive up to a 4 lb/ft Channel Post Anchor

.......

Adapter Part Numbers:

1

PD-55	070832
PD-110	070847
PD-140	070874
PD-200 5-1/2" MC	071039

Drive Cap Part Number for Use with above Adapters: . Channel Drive Cap 070836

This Adapter and Drive Cap is to be Used for Anchors Only. The Drive Cap can Present a Safety Hazard as the Drive Cap is Not Attached to the Driver or Adapter and can Fall and Cause Injury.










www.rhinotool.com







Drive Cap Insert Specifications*					
Size and Part No.	Height	Large Diameter	Small Diameter		
2" Drive Cap 071260	3 1/2" (88.9 mm)	2 3/8" (60.325 mm)	2.03 to 2.04" (50.83 to 50.84 mm)		
2 1/2" Drive Cap 071261	3 1/2" (88.9 mm)	2 7/8" (73.025 mm)	2.45 to 2.44" (176.4 to 175.68 mm)		
3" Drive Cap 071262	3 1/2" (88.9 mm)	3 1/2" (88.9 mm)	3.05" to 3.04" (77.47 to 77.216 mm)		
3 1/2" Drive Cap 071263	3 1/2" (88.9 mm)	4" (101.6 mm)	3.53" to 3.52" (89.662 to 89.408 mm)		
4" Drive Cap 071264	3 1/2" (88.9 mm)	4 1/2" (114.3 mm)	4" to 3.99" (101.6 to 101.346 mm)		
6" Drive Cap 071306	5 1/2" (139.7 mm)	6 5/8" (168.3 mm)	6.20" to 6.15" (157.5 to 156.2 mm)		
T-Bar 071265					
Clip 071266					

*Drive caps are designed for Schedule 40 Pipe. Rhino Tool can custom manufacture for Schedule 80 Pipe on request.

Low Drive Extension Specifications				
Part No.	Size	Description		
071004	1 1/4"	Low Drive Extension Drive Cap for Breakaway Bases		
071005	1 1/2"	Low Drive Extension Drive Cap for Breakaway Bases		
071006	1 3/4"	Low Drive Extension Drive Cap for Breakaway Bases		
071007	2"	Low Drive Extension Drive Cap for Breakaway Bases		
071008	2 1/4"	Low Drive Extension Drive Cap for Breakaway Bases		
071009	2 1/2"	Low Drive Extension Drive Cap for Breakaway Bases		
071014	PD-55	Chuck Adaptor for Square Low Drive Extension Not Shown		
071015	PD-140	Chuck Adaptor for Square Low Drive Extension Not Shown		
071016	PD-110	Chuck Adaptor for Square Low Drive Extension Not Shown		